

Molarity

$$1\text{mol/L} = 1\text{kmol/m}^3$$

- Calculate the molarity of the following solutions.
 - 825 cm^3 that contains 30.0 g of acetic acid.
 - 2050 cm^3 that contains 49.0 g of phosphoric acid.
 - 1.50 dm^3 that contains 1.0 g of potassium hydroxide.
 - 500.0 cm^3 that contains 82.0 g of calcium nitrate.
 - 250.0 cm^3 that contains 50.0 g of copper(II) sulfate pentahydrate.
 - 1000.0 cm^3 that contains 116 g of sodium carbonate heptahydrate.
 - 2.00 L that contains 36.0 g of glucose ($\text{C}_6\text{H}_{12}\text{O}_6$).
- Calculate the volume of solution that can be made from each of the following.
 - A 2.00 M solution using 80.0 g of sodium hydroxide.
 - A 0.500 M solution using 80.0 g of sodium hydroxide.
 - A 6.00 M solution using 126 g of calcium nitrate.
 - A 0.100 M solution using 117 g of sodium chloride.
 - A 1.00 M solution using 50.0 g of copper(II) sulfate pentahydrate.
 - a 0.200 M solution using 200.0 g of sodium sulfide.
- Calculate the mass of solute in the following solutions.
 - 750.0 mL of 0.500 M calcium chloride.
 - 3000.0 mL of 2.50 M potassium hydroxide.
 - 250.0 mL of 2.00 M sodium sulfate.
 - 250.0 cm^3 of 2.00 M sodium sulfate heptahydrate.
 - 1.500 dm^3 of 0.240 M potassium dihydrogen phosphate.
 - 2500.0 cm^3 of 4.00 M potassium permanganate.
 - 250.0 mL of 2.00 M calcium chloride.
 - 225 mL of 0.0350 kmol/m^3 calcium chloride.
 - 3.45 L of 0.175 kmol/m^3 sodium phosphate.
- How would you prepare the following solutions?
 - 1.00 L of 0.500 kmol/m^3 MnSO_4 , using solid $\text{MnSO}_4 \cdot 7\text{H}_2\text{O}$
 - 125 mL of 0.100 kmol/m^3 $\text{Fe}_2(\text{SO}_4)_3$, using solid $\text{Fe}_2(\text{SO}_4)_3 \cdot 9\text{H}_2\text{O}$
 - 250.0 mL of 0.0250 kmol/m^3 $\text{Co}(\text{NO}_3)_2$, using solid $\text{Co}(\text{NO}_3)_2 \cdot 6\text{H}_2\text{O}$
 - 35.5 mL of 0.00125 kmol/m^3 Cl^- , using solid $\text{SnCl}_2 \cdot 2\text{H}_2\text{O}$
 - 55.0 mL of 0.550 kmol/m^3 SO_4^{2-} , using solid $\text{Al}_2(\text{SO}_4)_3 \cdot 18\text{H}_2\text{O}$
 - 225 mL of 0.00200 kmol/m^3 OH^- , using solid $\text{Ca}(\text{OH})_2$.
- Complete the following table for aqueous solutions of glucose, $\text{C}_6\text{H}_{12}\text{O}_6$.

Mass of Solute	Moles of Solute	Volume of Solution	Molarity
12.5g		219 mL	
	1.08 mol		0.519 M
		1.62 L	1.08 M
- A teacher needs to prepare 15 sets of solutions for a chemistry lab. Each set must have 70.0 cm^3 of 0.200 M iron(II) sulfate heptahydrate. What mass of iron(II) sulfate heptahydrate is required to prepare enough solution for the class?
 - 2.50 L of 0.375 kmol/m^3 solution using 15.4 kmol/m^3 nitric acid?
 - 45.5 L of 0.0375 kmol/m^3 solution using 14.6 kmol/m^3 phosphoric acid?
 - 500.0 mL of 0.500 mol/L solution, using 2.00 mol/L sodium chloride.
 - 2.00 L of 0.200 mol/L solution, using 0.500 mol/L magnesium sulfate.
 - 50.0 mL of 0.200 mol/L solution, using 4.00 mol/L potassium nitrate.
 - 1.50 L of 0.250 mol/L solution, using 15.4 mol/L nitric acid.
- How would you prepare the following solutions?
 - 2.50 L of 0.375 kmol/m^3 solution using 15.4 kmol/m^3 nitric acid?
 - 45.5 L of 0.0375 kmol/m^3 solution using 14.6 kmol/m^3 phosphoric acid?
 - 500.0 mL of 0.500 mol/L solution, using 2.00 mol/L sodium chloride.
 - 2.00 L of 0.200 mol/L solution, using 0.500 mol/L magnesium sulfate.
 - 50.0 mL of 0.200 mol/L solution, using 4.00 mol/L potassium nitrate.
 - 1.50 L of 0.250 mol/L solution, using 15.4 mol/L nitric acid.
- What is the molar concentration of the nitric acid solution resulting from the mixture of 5.00 mL of 3.50 kmol/m^3 nitric acid and 95.0 mL of 0.200 kmol/m^3 nitric acid?
- If one drop (0.050 mL) of 0.200 kmol/m^3 sodium bromide is added to 100.00 mL of water, what is the concentration of the resulting solution?
- What is the concentration of the solution that results when 250.0 mL of 0.400 M sodium hydroxide is mixed with 500.0 mL of 2.00 M sodium hydroxide.
- If 300.0 mL of solution A contains 25.0 g of potassium chloride and 250.0 mL of solution B contains 60.0 g of potassium chloride, what is the molar concentration of the potassium chloride solution resulting from the mixture of solutions A and B?
- Solution A is 0.475 kmol/m^3 in sodium hydroxide. Solution B also contains sodium hydroxide. When 250.0 mL of solution A is mixed with 400.0 mL of solution B, the resulting solution is 0.325 kmol/m^3 in sodium hydroxide. What is the molar concentration of solution B?
- Solution X is 0.135 kmol/m^3 in sodium chloride. Solution Y also contains sodium chloride. When 55.0 mL of solution X is mixed with 125 mL of solution Y, the resulting solution is 0.165 kmol/m^3 in sodium chloride. How many grams of sodium chloride are contained in 300.0 mL of solution Y?
- Solution A is 0.125 M sodium hydroxide and Solution B is 2.50 M sodium hydroxide. What volume of Solution B must be added to 400.0 mL of Solution A if the concentration of the resulting solution is 1.75 M sodium hydroxide?
- What is the concentration of a sodium hydroxide solution that results when 75.0 mL of 0.125 M sodium hydroxide is mixed with 50.0 mL of 2.50 M sodium hydroxide?